

# INDEX TO VOLUME 108

## New scientific names are in bold face

- Abdul-Basir, Fatimah 103-118
- Addition to the aquatic plant flora of Indiana, *Myriophyllum tenellum* 76-79
- Additions to the flora of Rhode Island, 65-71 (New England Note)
- Agarista bracamorensis* (Ericaceae: Vaccinioideae). Rediscovery of, 97-102
- Alaska 249-293
- Alix, Mitchell S. 76-79
- Alix, Mitchell S. and Robin W. Scribailo. First report of *Potamogeton*  $\times$  *undulatus* (*P. crispus*  $\times$  *P. praelongus*, Potamogetonaceae) in North America, with notes on morphology and stem anatomy, 329-346
- Amelanchier lucida*, characteristics of 347-355
- Anacardiaceae 203-227
- Andropogon* 370-386
- ANNOUNCEMENTS:
- Merritt Lyndon Fernald Award 306
- New England Botanical Club Graduate Student Research Award 305
- Aquatic plants: *Myriophyllum tenellum*, Indiana 76-79; *Podostemum*, cleistogamy in 195-202
- Arctic 249-293
- Asteraceae 400-402
- Balsaminaceae 62-64
- Beringia 249-293
- Bertin, Robert L., Brian G. DeGasperi, and Jean M. Sabloff. Land use and forest history in an urban sanctuary in central Massachusetts, 119-141; vegetation map 123
- BOOK REVIEWS:
- Demons in Eden: The Paradox of Plant Diversity, 294-295
- Maine Mosses: Sphagnaceae-Timmiaceae, 184-187
- Photographic Atlas of Botany and Guide to Plant Identification, 80-81
- Plant Conservation: A Natural History Approach, 296-298
- Brassicaceae 103-118
- Breeding system and early stage inbreeding depression in a Nova Scotian population of the global rarity, *Sabatia kennedyana* (Gentianaceae), 307-328
- Britton, Donald M. 228-241
- Brunton, Daniel F. and Donald M. Britton. *Isoetes*  $\times$  *novae-angliae* (Isoetaceae), an additional hybrid quillwort from New England, 228-241
- Cantino, Philip D. 142-183
- Catling, Paul M. Characteristics of *Amelanchier lucida* (Rosaceae) based on an examination of the holotype and plants from the type locality, 347-355; key 354
- Chapman Field, Florida 387-399
- Characteristics of *Amelanchier lucida* (Rosaceae) based on an examination of the holotype and plants from the type locality, 347-355; key to stoloniferous *Amelanchier* species in Nova Scotia 354
- Checklist for Contributors to Rhodora 90-96
- Checklists of species: Alaska, Izembek NWR 270-293; Florida pine rockland 393-399; Illinois hill prairie 380-386; Ohio, Strouds Run State Park 164-183
- Cleistogamy 195-202
- Coastal heathland 32-42
- Coastal, arctic 249-293
- Colt, LeBaron "Barry" C., III 1929-2006, 410-410 (In Memoriam)

- Conservation biology 307-328  
 Conservation genetics 1-18  
*Cornus florida* 242-248
- Deforestation 1-18  
 DeGasperis, Brian G. 119-141  
 Development of plants 356-369  
 Dignard, Norman. *Micranthes stellularis* (Saxifragaceae), new to Québec. 72-75 (Note)  
 Direct and indirect effects of salt spray and fire on coastal heathland plant physiology and community composition. 32-42  
 Distribution, introduced species, Mount Holyoke Range, Massachusetts 43-61  
 Disturbance regime 32-42  
 Dogwood anthracnose 242-248
- Ebersole, J. 103-118  
 Ebinger, John E. 242-248, 370-386  
 Edgin, Bob 242-248  
 Environmental variation 356-369  
 Ericaceae 97-102  
 Ethnobotany of poison ivy, poison oak, and relatives (*Toxicodendron* spp., Anacardiaceae) in America: Veracity of historical accounts. 203-227
- Fagaceae, in old-growth and secondary forests in southern New England. 1-18  
 First report of *Potamogeton* × *undulatus* (*P. crispus* × *P. praelongus*, Potamogetonaceae) in North America, with notes on morphology and stem anatomy. 329-346  
 Flora and vegetation of Coneflower Glacial Drift Hill Prairie Natural Area, Moultrie County, Illinois. 370-386; annotated species list, 380  
 Flora of Rhode Island. Additions to the. 65-71  
 Flora: arctic 249-293; Florida 387-399; Illinois 370-386; Ohio 142-183  
 Florida 387-399
- Floristic change 142-183  
 Floristic inventory of the remnant pinelands of the U.S.D.A. Subtropical Horticultural Research Station at Chapman Field, Miami-Dade County, Florida. 387-399; annotated species list 393-399  
 Floristics 387-399  
 Forest history 119-141  
 Forest succession 119-141  
 Forman Orth, Jennifer, Melinda Gammon, Fatimah Abdul-Basir, R. D. Stevenson, Dina Tsirelson, J. Ebersole, Susan Speak, and Rick Kesseli. Natural history, distribution, and management of *Lepidium latifolium* (Brassicaceae) in New England. 103-118; distribution map 109
- Gammon, Melinda 103-118  
 Gene flow 1-18  
 Genetic diversity and population structure of *Quercus rubra* (Fagaceae) in old-growth and secondary forests in southern New England. 1-18  
 Genetic variation among pitch pine (*Pinus rigida*) families from Walden Woods: Heritability and path analysis of developmental variation of phenotypic traits. Heritability and path analysis of developmental variation of phenotypic traits. 356-369  
 Gentianaceae 307-328  
 Gerwein, J. B. and R. V. Kesseli. Genetic diversity and population structure of *Quercus rubra* (Fagaceae) in old-growth and secondary forests in southern New England. 1-18  
 Gilman, Arthur V. and Arthur Haines. *Symphyotrichum ontarionis* (Asteraceae) new to Vermont. 400-402 (New England Note)  
 Glacial drift hill prairie 370-386  
 Govindaraju, Diddahally 356-369

- Griffiths, Megan E., Robin P. Keith, and Colin M. Orians. Direct and indirect effects of salt spray and fire on coastal heathland plant physiology and community composition. 32-42
- Habitat preference 43-61
- Haines, Arthur 400-402
- Haloragaceae. 76-79
- Harrelson, Sarah M. and Philip D. Cantino. The terrestrial vascular flora of Strouds Run State Park, Athens County, Ohio. 142-183
- Heritability 356-369
- Heritability and path analysis of developmental variation of phenotypic traits. 356-369
- Hill, Nick M., Marina T. D. Myra, and Mark O. Johnston. Breeding system and early stage inbreeding depression in a Nova Scotian population of the global rarity, *Sabatia kennedyana* (Gentianaceae). 307-328; global and local distribution maps 310
- Hybrids: *Isoetes*  $\times$  *novae-angliae*, *hyb. nov.* 228-241; *Potamogeton*  $\times$  *undulatus* 329-346
- Illinois 242-248; 370-386
- Impatiens capensis* (Balsaminaceae). Lectotypification of the names of two color forms of, 62-64
- IN MEMORIAM:
- Fred Herbert Taylor 1910-2006. 405-409
- LeBaron "Barry" C. Colt III 1929-2006. 410-411
- Inbreeding depression 307-328
- Indiana 76-79; 329-346
- Intermountain Region, western U.S.A. 19-31
- Introduced invasive species 43-61
- Introduced non-invasive species 43-61
- Introduced species in the Mount Holyoke Range, Hampshire Co., Massachusetts. The distribution and habitat preferences of, 43-61; sampling map 45
- Invasive species 43-61, 103-118, 142-183
- Ionta, Gretchen M. 387-399
- Isoetaceae 228-241
- Isoetes*  $\times$  *novae-angliae* (Isoetaceae), an additional hybrid quillwort from New England. 228-241
- Izembek National Wildlife Refuge, Alaska 249-293
- Jaltomata weberbaueri* 403-404
- Jennings, William F. 19-31
- Johnston, Mark O. 307-328
- Judd, Walter S. 387-399
- Judd, Walter S. and James L. Luteyn. Rediscovery of *Agarista bracamorensis* (Ericaceae: Vaccinioideae). 97-102
- Juneberry 347-355
- Kabat, Cathleen A., Steven M. Kabat, Walter S. Judd, and Gretchen M. Ionta. Floristic inventory of the remnant pinelands of the U.S.D.A. Subtropical Horticultural Research Station at Chapman Field, Miami-Dade County, Florida. 387-399; annotated species list 393
- Kabat, Steven M. 387-399
- Keith, Robin P. 32-42
- Kesseli, R. V. 1-18
- Kesseli, Rick 103-118
- Keys: *Potamogeton*  $\times$  *undulatus*, *P. crispus*, and *P. praelongus* 343; stoloniferous *Amelanchier* species in Nova Scotia 354
- Land use and forest history in an urban sanctuary in central Massachusetts. 119-141; vegetation map 123
- Land use history 1-18, 119-141
- Lectotypification of *Jaltomata weberbaueri* (Solanaeae). 403-404 (Note)

- Lectotypification of the names of two color forms of *Impatiens capensis* (Balsaminaceae). 62-64
- Lepidium latifolium* (Brassicaceae) in New England. Natural history, distribution, and management of, 103-118; distribution map 109
- Life-form 249-293
- Luteyn, James L. 97-102
- Lyonieae 97-102
- Maine, *Impatiens capensis* 62-64
- Massachusetts 1-18, 32-42, 43-61, 119-141, 356-369
- McClain, William E., Bob Edgin, and John E. Ebinger. Revisiting dogwood anthracnose in Illinois. 242-248
- McClelland, Donald 43-61
- Miami-Dade County, Florida 387-399
- Micranthes stellaris* (Saxifragaceae), new to Québec. 72-75; distribution map 73 (Note)
- Microsatellites 1-18
- Mione, Thomas and Arturo Granda Paucar. Lectotypification of *Jaltomata weberbaueri* (Solanaceae). 403-404 (Note)
- Mixed mesophytic forest 142-183
- Mount Holyoke Range 43-61
- Myra, Marina T. D. 307-328
- Myriophyllum tenellum* (Haloragaceae): An addition to the aquatic plant flora of Indiana. 76-79 (Note)
- Natural history, distribution, and management of *Lepidium latifolium* (Brassicaceae) in New England. 103-118; distribution map 109
- NEBC Meeting News 83-89, 188-194, 300-304, 413-419
- New Books 82, 299, 412
- New England 1-18, 103-118, 228-241
- New *Platanthera* (Orchidaceae) from the Intermountain West. A, 19-31
- New records: Indiana 76-79; Québec 72-75; Rhode Island 65-71; U.S.A. 329-346; Vermont 400-402
- New species: *Platanthera tescamnis* 19-31
- Non-native species 119-141
- North America 329-346
- Northern boreal zone 249-293
- Nova Scotia 307-328, 347-355
- Novelo R., Alejandro 195-202
- Oak forest 142-183
- Ohio 142-183
- Old-growth and secondary forests in southern New England, *Quercus rubra* 1-18
- Ontario aster 400-402
- Orchidaceae 19-31
- Orians, Colin 356-369
- Orians, Colin M. 32-42
- Owens, Nicholas L., Gordon C. Tucker, and John E. Ebinger. Flora and vegetation of Coneflower Glacial Drift Hill Prairie Natural Area, Moultrie County, Illinois. 370-386; annotated species list, 380
- Path analysis 356-369
- Paucar, Arturo Granda 403-404
- Perennial pepperweed 103-118
- Peru 97-102, 403-404
- Phenotypic plasticity 356-369
- Philbrick, C. Thomas, Milada Vómela, and Alejandro Novelo R. Preadthesis cleistogamy in the genus *Podostemum* (Podostemaceae). 195-202; distribution map 200
- Physiological responses 32-42
- Phytogeographic 249-293
- Pine rockland 387-399
- Pinus rigida* 356-369
- Pitch pine 356-369
- Plant community structure, vascular 32-42
- Platanthera* (Orchidaceae) from the Intermountain West. A new, 19-31
- Platanthera tescamnis*, sp. nov. 19-31
- Podostemaceae 195-202
- Podostemum* 195-202
- Poison ivy 203-227
- Poison oak 203-227

- Poison sumac 203-227  
 Pollination 195-202  
 Pondweed 329-346  
*Potamogeton* × *undulatus* (*P. crispus* × *P. praelongus*, Potamogetonaceae) in North America, with notes on morphology and stem anatomy. First report of, 329-346; key 343  
*Potamogeton crispus* 329-346  
*Potamogeton praelongus* 329-346  
 Potamogetonaceae 329-346  
 Prairie 142-183  
 Preanthesis cleistogamy in the genus *Podostemum* (Podostemaceae), 195-202; distribution of *P. weddellianum* in southern Brazil 200  
 Prescribed burning 32-42  
 Pteridophyte 228-241  
 Pucko, Carolyn 43-61  
 Québec, *Micranthes stellaris* (Saxifragaceae) 72-75  
*Quercus rubra* (Fagaceae) in old-growth and secondary forests in southern New England, 1-18  
 Raj, Devaki, Diddahally Govindaraju, and Colin Orians. Genetic variation among pitch pine (*Pinus rigida*) families from Walden Woods: Heritability and path analysis of developmental variation of phenotypic traits, 356-369  
 Rare plants 307-328  
 Rediscovery of *Agarista bracamorensis* (Ericaceae: Vaccinioideae), 97-102  
 Revisiting dogwood anthracnose in Illinois, 242-248  
 Rhode Island 65-71  
 Rosaceae 347-355  
*Sabatia kennedyana* 307-328  
 Sabloff, Jean M. 119-141  
 Salt spray and fire on coastal heathland plant physiology and community composition. Direct and indirect effects of, 32-42  
 Saskatoon berry 347-355  
 Saxifragaceae 72-75  
*Schizachyrium* 370-386  
 Schofield, Wilfred B. 249-293  
 Scribailo, Robin W. 329-346  
 Scribailo, Robin W. and Mitchell S. Alix. *Myriophyllum tenellum* (Haloragaceae): An addition to the aquatic plant flora of Indiana, 76-79 (Note)  
 Searcy, Karen B., Carolyn Pucko, and Donald McClelland. The distribution and habitat preferences of introduced species in the Mount Holyoke Range, Hampshire Co., Massachusetts, 43-61  
 Self pollination 307-328  
 Senchina, David S. Ethnobotany of poison ivy, poison oak, and relatives (*Toxicodendron* spp., Anacardiaceae) in America: Veracity of historical accounts, 203-227  
 Serviceberry 347-355  
 Shadbush 347-355  
 Sheviak, Charles J. and William F. Jennings. A new *Platanthera* (Orchidaceae) from the Intermountain West, 19-31  
 Solanaceae 403-404  
 South America 195-202  
 Speak, Susan 103-118  
 SSRs 1-18  
 Stevenson, R. D. 103-118  
*Symphytotrichum ontarionis* (Asteraceae) new to Vermont, 400-402 (New England Note)  
 Talbot, Sandra Looman 249-293  
 Talbot, Stephen S., Sandra Looman Talbot, and Wilfred B. Schofield. Vascular flora of Izembek National Wildlife Refuge, westernmost Alaska Peninsula, Alaska, 249-293  
 Taylor, Fred Herbert 1910-2006, 405-409 (In Memoriam)  
 Terrestrial vascular flora of Strouds Run State Park, Athens County, Ohio. The, 142-183; annotated species list 164-183

- Toxicodendron* 203-227  
Tsirelson, Dina 103-118  
Tucker, Gordon C. 370-386  
Tucker, Gordon C. Additions to the  
flora of Rhode Island. 65-71 (New  
England Note)  
U.S.D.A. Subtropical Horticultural  
Research Station 387-399  
Urban forests 119-141  
Vascular flora of Izembek Na-  
tional Wildlife Refuge, westernmost  
Alaska Peninsula, Alaska. 249-293;  
annotated species list 270-293  
Vascular flora, Ohio 142-183  
Vermont 400-402  
Vomela, Milada 195-202  
Water balance 32-42  
Worcester, Mass. 119-141  
Zika, Peter F. Lectotypification of the  
names of two color forms of  
*Impatiens capensis* (Balsaminaceae).  
62-64

